

**APPROVED ASSESSMENT REPORT  
for the  
Saugeen Valley Source Protection Area**

**Changes Made to the Revised Assessment Report for the  
Saugeen Valley Source Protection Area**

The following table provides an overview of changes made to the Approved Assessment Report compared to the submission to the Ministry of the Environment and Climate Change on April 29, 2016. Changes can be viewed at [home.waterprotection.ca](http://home.waterprotection.ca)

<b>Chapter</b>	<b>Changes</b>
<i>1 – Introduction</i>	<ul style="list-style-type: none"><li>• No changes</li></ul>
<i>2 – Watershed Characterization</i>	<ul style="list-style-type: none"><li>• No changes</li></ul>
<i>3 – Water Quantity Stress Assessment</i>	<ul style="list-style-type: none"><li>• No changes</li></ul>
<i>4 – Water Quality Threats and Issues</i>	<ul style="list-style-type: none"><li>• Spelling, grammar, capitalization, and punctuation changes</li><li>• Updated Huron-Kinloss section to reflect changes in the Ripley system – new WHPA</li><li>• Updated Huron-Kinloss section to reflect changes in the Point Clark system – updated WHPA-A</li><li>• Updated references to Tables of Drinking Water Threats (2021) and online threats tool, including all Reference Tables</li><li>• Updated references to Ministry of the Environment, Conservation and Parks</li><li>• Removed SGRA Vulnerability, SGRA Managed Lands, and SGRA Nutrient Unit maps and references to SGRA vulnerability scores</li><li>• Added East Linton EBA information to Section 4.1.2.4- Delineating Intake Protection Zones (IPZs)</li><li>• Removed references to SGRA vulnerability scores under Section 4.1.3.2 - Vulnerability of Significant Groundwater Recharge Areas (SGRAs)</li><li>• Revised reference to amended Technical Rules in Section 4.1.4.3 - Percentage of Impervious Surfaces for Vulnerable Areas</li><li>• Updated Section 4.2.6.2.2 - Lakeshore Drinking Water System to include new Blairs Grove Well 3</li><li>• Updated Section 4.2.11 Township of Southgate to include new Dundalk Well5, where portion of WHPA-D crosses into SV-SPA</li><li>• Updated Section 4.2.13.2.1 Durham Well Supply to include new Durham Well 2A</li></ul>

# Approved

<i>Chapter</i>	<i>Changes</i>
	<ul style="list-style-type: none"> <li>• Chapter 4 Maps, Blairs Grove WHPA; MAP46G21 – MAP46G26; Dundalk WHPA; MAP #, Durham WHPA; MAP413G11</li> <li>• Update the significant groundwater recharge area vulnerability scoring (Rule 80&amp;81) and remove maps/text where not applicable (Rule 45), including SGRA Vulnerability, SGRA Managed Lands, and SGRA Nutrient Unit maps</li> <li>• Update 2016 census data for municipal populations</li> <li>• New/amended Wellhead Protection Areas for Scott Point and Minto Pines</li> <li>• Table 4.1.G.2a Impervious Surfaces Area updated, also updated for all other groundwater and surface water municipal systems in this source protection area including associated maps</li> <li>• Table 4.1.G1.3 Added Liquid Hydrocarbon Pipelines, also updated for all other systems in this source protection area</li> <li>• Section 4.3.2.7.2.1 Scott Point Drinking Water System made updates to description and associated tables with the new Well#2</li> <li>• Section 4.2.8.2.1 Minto Pines Subdivision Drinking Water System made updates to description and associated tables with the new Well#1A</li> <li>• Added Burnside and Associates Limited Minto Pines document to Reference section</li> <li>• Added Matrix document to Reference section for Scott Point</li> <li>• Section 4.2.13.2.1 Durham Well Supply made updates to description and associated tables for the new Well#1C</li> <li>• Added Aqua Insight technical report to Reference section for Durham</li> <li>• Section 4.2.1.2.1 Chesley Well Supply – updates to description and associated tables for new Well#4</li> <li>• Minor Amendment to threat terminology to align with 2021 Technical Rule changes.</li> </ul>
<i>5 – Climate Change</i>	<ul style="list-style-type: none"> <li>• No changes</li> </ul>
<i>6 – Great Lakes Considerations</i>	<ul style="list-style-type: none"> <li>• No changes</li> </ul>
<i>7 – Addressing Limitations</i>	<ul style="list-style-type: none"> <li>• No changes</li> </ul>
<i>References</i>	<ul style="list-style-type: none"> <li>• Added references for new Ripley system</li> <li>• Added references for Minto Pines and Scott Point system documents</li> </ul>
<i>Glossary</i>	<ul style="list-style-type: none"> <li>• No changes</li> </ul>