

- ▲ Municipal Intake
- Stream
- Municipal Boundary
- County Boundary
- Source Protection Region Boundary
- Lake
- Events-Based Area Policy Components**
- EBA-A (3,600 L)
- EBA-B (5,000 L)
- EBA-C (8,000 L)
- Possible Spill Location\*
- 5000 Minimum Volume Required  
for Policies to Apply (Litres)


\*These points are a visual representation and do not indicate the exact area or shape of a possible spill or its originating source.

Base mapping produced under License with the Ontario Ministry of Natural Resources. © Queen's Printer for Ontario and its licensors. [2014] The use of these data does not constitute an endorsement by the MNR or the Ontario Government of such data.

Events-Based Area Policy Components delineated by DWSP Staff based on Technical Studies completed by Baird & Associates.

Possible Spill Locations delineated by Baird & Associates and DWSP Staff.

Data supplied under Licence by Members of the Ontario Geospatial Data Exchange. © Queen's Printer for Ontario and its licensors. [2010] May Not be Reproduced without Permission. THIS IS NOT A PLAN OF SURVEY.



**DRAFT**

February 3, 2015

**MAP 4.8.S1.9 EVENTS-BASED AREA POLICY COMPONENTS - WIARTON**

Water Quality - Town of South Bruce Peninsula

Disclaimer: This map has been compiled from various sources and is intended for illustrative purposes only. It should not be used as a precise indicator of routes nor as a guide to navigation.

0 1000 m

Projection: UTM NAD 83 Zone 17

1 : 30,000